		T - 10 22 3
	Application No.	Applicant(s)
Notice of Allowability	09/811,200	NEAVIN ET AL.
	Examiner	Art Unit
	Joseph S. Del Sole	1722
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to 10/27/03.		
2. The allowed claim(s) is/are 1-18.		
3. A The drawings filed on 16 March 2001 and 27 October 2003 are accepted by the Examiner.		
 4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the: 		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
 5. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78. (a) The translation of the foreign language provisional application has been received. 6. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78. 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted		
below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
7. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 8. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) ☐ hereto or 2) ☐ to Paper No 		
(b) ☐ including changes required by the proposed drawing correction filed, which has been approved by the Examiner.		
(c) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the margin according to 37 CFR 1.121(d).		
9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1☐ Notice of References Cited (PTO-892)	5∐ Notice of Informal Pa	tent Application (PTO-152)
 2 Notice of Draftperson's Patent Drawing Review (PTO-948) 3 Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No. 	6□ Interview Summary (F	PTO-413), Paper No
), 7☐ Examiner's Amendme	ent/Comment
4☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	8⊠ Examiner's Statemen 9⊡ Other	t of Reasons for Allowance
		·
·		

Art Unit: 1722

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance: the prior art of record fails to teach or suggest a feedblock having a gradient plate having first and second flow channels, wherein at least on of the flow channels has a cross-sectional area that changes from a first position to a second position along the flow channel; a feeder tube plate having a first plurality of conduits in fluid communication with the first flow channel and a second plurality of conduits in fluid communication with the second flow channel, each conduit feeding its own respective slot die, each conduit having a first end and a second end and, the first end of the conduits being in fluid communication with the flow channels, and the second end of the conduits being in fluid communication with the slot die and either an axial rod heater located proximal to the conduits or heaters attached to the external surface of the housing.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Correspondence

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joseph S. Del Sole whose telephone number is (703) 308-6295. The examiner can normally be reached on Monday through Friday from 8:30 A.M. to 5:00 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ms. Wanda Walker, can be reached at (703) 308-0457. The official fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306 for both non-after finals and for after finals.



Application/Control Number: 09/811,200

S 200 Sole

Art Unit: 1722

Page 3

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0661.

November 11, 2003

ROBERT DAVIS
PRIMARY EXAMINER
GROUP 1300 / 200

11/12/2003